

MTBF Report

Identification Data

Name of device SmartFlex WIFI PSE

Order codes SR305180xx

Sort LTE Industrial Router

Created, date Jan Svoboda, VPTO, September 14, 2016 **Authorized, date** Jan Otte, VTO, September 14, 2016

Prediction Method

MIL-HDBK-217F-2, parts count

Prediction Data

Temp 25 °C

FR 8216.3 FITS

MTBF 121709 hours, 13.9 years

SF 33 %

MTBF final 365493 hours, 41.7 years

 Op. Time T
 5 years

 Probability R(T)
 89 %

 R(T) in -25/+55C
 70 %

Explanatory Notes

Temp – Temperature at reference conditions.

FR - Failure rate: It's the rate of product failures expressed as a function of time.

MTBF - Mean Time Between Failures is a prediction of a power supply's reliability.

SF – Severity factor: Degree of severity in the event of failure.

MTBF final - MTBF including Severity factor.

Op. time T – Operating time of interest.

Probability R(T) – Probability that the product will operate for the Op. time T without a failure.

R(T) in -25/+55C - Probability in specified interval.

This document is know-how of the Advantech B+B SmartWorx s.r.o. company. It may not be handed over to third person or abuse without permit.

